

Valid from: Autumn
01.09.25 – 30.11.25



catalogue

Laboratory supplies with attractive prices

Bohlender	04	IDL	12	SCAT	02/03
Brand	08	ISOHEAT	11	Vitlab	03
Bürkle	06	Kern	05		
DWK	08/09	Labor-Pilz	03		
Endress+Hauser	11	Lauda	10		
Hahnemühle	11	Memmert	06/07		



HPLC-Disposal



- ✓ Bind Solvent Vapors Safely
- ✓ Safely Bind Acid and Alkaline Vapors
- ✓ Reliable Occupational Safety
- ✓ Clean Laboratory Air

**WE MAKE YOUR LAB
A SAFER PLACE!**

www.scat-europe.com

The liquids in the waste containers in laboratories are highly hazardous to health - users are often unaware of the mixtures that can arise in the canisters. Closed safety systems from SCAT Europe offer effective protection and additionally guarantee economical work in the laboratory. **The exhaust filter with three layers of activated carbon protects you and your environment while ensuring occupational safety. The most powerful filter medium for solvent vapors. The additional layers capture vapors from acids and alkalis. Compatible with all SCAT Safety Waste Caps for your HPLC collection containers.**

A 410 534



B 410 535



C 407 986



Functional Layers

- For yet more safety, there are three different types of active carbon (layered), offering a broad spectrum of capabilities, as well as more functions, e.g. HPLC buffer solutions are now also bound:
 - Layer 3: binds acids
 - Layer 2: binds alkalis
 - Layer 1: adsorbs solvent vapors

> 90% CTC-Adsorption

- The ability to bind has been increased by 20%!

1,500 m²/g

- The inner adsorption surface area has been increased by 25%!



Get Safe! **25%** Discount! Order now for less!

01.09. - 30.11.2025

Exhaust Filter, V3.0	Service life	Qy	PU	Order No.	Special Price/PU
A S, with splash guard and change indicator	3 Months	Piece	1	410534	44.90 €
S, with splash guard and change indicator	3 Months	Set	4	490335	154.90 €
B M, with splash guard and change indicator	6 Months	Piece	1	410535	69.90 €
M, with splash guard and change indicator	6 Months	Set	2	490336	129.90 €
C L, with splash guard and change indicator	12 Months	Piece	1	407986	94.90 €
L, with splash guard and change indicator	12 Months	Set	2	490986	149.90 €

High-Performance Active Carbon:



Attribute	Value	Test Method
Ball-Pan-Hardness*	96 %	ASTM D 3802
Inner Spec. Surface	1,500 m ² /g	DIN ISO 9277
Bulk Density	415 ± 30 kg/m ³	ASTM D 2854
CTC-Adsorption*	> 90 %	ASTM D 3467
Particle Diameter	1.4 - 3 mm	ASTM D 2862
Ash Content*	max. 5 %	ASTM D 2866
Specific Humidity*	max. 5 %	ASTM D 2867

* % of weight



- ✓ Highest adsorption performance
- ✓ Unrivalled in quality & performance
- ✓ Unique 3-layer technology

www.scat-europe.com
NEW


Fume hood with optional accessories.
Further customization options are available on request.

Safety chemical fume hood for your lab

We offer a fume hood to protect your safety at all times while working in the lab!
The fume hood is certified according to DIN EN 14175 and is individually adaptable to your personal needs.

Standard equipment

- Sash sliding vertically with protective safety glass sliding horizontally
- Electronic control MA95FLOW with display and visual and sonorous alarm
- Multilingual software
- Door locking device at 50 cm opening
- SAFETY-BLOCK device in case of ropes breaking
- HPL-clad interior, All-ceramic worktop (Gres) with all-round beaded edge
- 1x LED lighting IP65 (600 LUX) in the extractor ceiling
- 2x 230V-16A IP55 sockets



Laboratory fume hood, APL all-ceramic (Gres)	Inner dimensions W x D mm	Outer dimensions W x D x H mm	Qty	PU	Order No.	Special Price/PU
900 mm*	900 x 750	1045 x 830 x 2355**	Piece	1	MA95EVO6030ZEM	8,993.00 €
1200 mm*	1200 x 750	1345 x 830 x 2355**	Piece	1	MA95EVO6050ZEM	9,384.00 €
1500 mm*	1500 x 750	1645 x 830 x 2355**	Piece	1	MA95EVO6060ZEM	9,677.25 €

*ex works, without mounting

**height with sash open: 2750 mm

Powder funnels, PP

- Transparent.
- With short, wide stem and practical tab for hanging (size 150 mm without tab).
- For transfer of powdered and granular substances.
- Rapid flow due to a steep 60° angle.
- Suitable for contact with foodstuffs according to regulation (EU) No. 10/2011.



	Ø mm	Length mm	Outlet inside Ø mm	Qty	PU	Order No.	Special Price/PU
Powder funnels, PP	65	70	15	Piece	10	70794	12.25 €
Powder funnels, PP	80	75	21	Piece	10	70894	18.17 €
Powder funnels, PP	100	92	24	Piece	10	70994	19.44 €
Powder funnels, PP	120	105	27	Piece	10	71094	24.51 €
Powder funnels, PP	150	138	28	Piece	5	71194	17.32 €



SICCO Drying Cabinets, Desiccators and Glove Boxes

SICCO Desiccators for drying/storage

Panels: **clear** | Material: **polycarbonat** | Temperatur resistance: **-35 °C to +70 °C** |
Use: **normal pressure**

**SPECIAL PRICE
25 % DISCOUNT**

Product description: Polycarbonate, one compartment, including two shelves, hygrometer and desiccant, non-slip rubber feet, stackable.



Product	Overall dimensions mm	Qy	PU	Order No.	Special Price/PU
SICCO Mini 1 Desiccator Premium	221 x 183 x 214	Piece	1	V 1950-01	115.00 €

Panels: **clear** | Material: **PMMA** | Temperatur resistance: **-20 °C to +70 °C** |
Use: **normal pressure** | Stand: **rubber feet**

Product description: Aluminium frame with panels made of acrylic glass, including four shelves made of polycarbonate, tray, hygrometer and desiccant, usable with up to 26 shelves, stackable.



Products	Overall dimensions mm	Qy	PU	Order No.	Special Price/PU
SICCO Star-Desiccator	310 x 525 x 375	Piece	1	V 1871-07	700.00 €
SICCO Auto-Star-Desiccator	310 x 525 x 375	Piece	1	V 1877-07	1,330.00 €
SICCO Maxi 1-Desiccator	560 x 1150 x 580	Piece	1	V 1852-01	2,580.00 €*
SICCO Maxi 2-Desiccator	560 x 1150 x 580	Piece	1	V 1853-01	3,250.00 €*

SICCO Glove Boxes with Transfer Chamber

Panels: **clear** | Material: **PMMA** | Temperatur resistance: **-20 °C to +70 °C** |
Use: **normal pressure** | Stand: **rubber feet**

**SPECIAL PRICE
25 % DISCOUNT**

Product description: Aluminium frame with panels made of acrylic glass, base panel made of polyethylene. Front panel with two glove ports and one pair of natural rubber gloves size 9, two lead-ins for cables on the back side (upper left and upper right). Transfer chamber with two doors, external door with latch to prevent accidental opening, the tray extends into the workspace with opening of the internal door for easy removal of inserted products. Work space and transfer chamber each including two hose connectors for gas-filling and aeration and appropriate tubing (2 x 5 m tubing for gas-filling made of PVC and 2 x 5 m aeration tubing made of PE).



Product	Overall dimensions mm	Qy	PU	Order No.	Special Price/PU
SICCO Glove Box with Transfer Chamber	1210 x 700 x 600	Piece	1	V 1982-08	4,040.00 €*

Panels: **clear** | Material: **borosilicate 3.3** | Temperatur resistance: **-20 °C to +120 °C** |
Use: **normal pressure** | Stand: **rubber feet**

Product description: Aluminium frame with panels made of borosilicate glass, front panel with two glove ports, right side panel and bottom side base panel made of aluminium, top side of base panel made of stainless steel. Including one pair of natural rubber gloves size 9, two lead-ins for cable on the back side (upper left and upper right). Transfer chamber with two doors, external door with latch to prevent accidental opening, the tray extends into the workspace with opening of the internal door for easy removal of inserted products. Work space and transfer chamber each including two hose connectors for gas-filling and aeration and appropriate tubing (2 x 5 m tubing for gas-filling made of PVC and 2 x 5 m aeration tubing made of PE).



Product	Overall dimensions mm	Qy	PU	Order No.	Special Price/PU
SICCO Glove Box Vitrum with Transfer Chamber	1210 x 700 x 600	Piece	1	V 1986-08	6,830.00 €*

*plus special packaging + freight costs



BOLA
Mehr Leistung fürs Labor.

Professional High-Performance Fluoroplastic Labware
PTFE | PFA | FEP



www.bola.de/en

PRÄZISION

For Laboratories, Industry and Food Sectors.

OIV

The entry level video microscope with bright image reproduction and intuitive operation



PROFESSIONAL-MEASURING

DBS

Moisture analyser with high-quality single-cell weighing system for outstanding stability, reliability and response speed



PNJ

The new standard in the laboratory with robust tuning fork weighing system



KERN & SOHN GmbH · Ziegelei 1 · 72336 Balingen · Germany
Phone +49 7433 9933-0 · www.kern-sohn.com

KERN

Moisture analysers	Weighing range (Max)	Read out (d)	Reproducibility	Linearity	Qty	PU	Order No.	Special Price/PU
DBS 60-3	60 g	0.001 g	0.001 g	± 0.003 g	Piece	1	DBS 60-3	1,092.00 €
Video microscopes								
OIV 345	(0.7 x - 4.5 x, LED)				Piece	1	OIV 345	1,669.20 €
OIV 901	(0.7 x - 4.5 x, LED)				Piece	1	OIV 901	1,965.60 €
Precision balances								
PNJ 12000-1M	12000 g	0.1 g	0.1 g	± 0.2 g	Piece	1	PNJ 12000-1M	577.20 €
PNJ 3000-2M	3200 g	0.01 g	0.01 g	± 0.02 g	Piece	1	PNJ 3000-2M	592.80 €
PNJ 600-3M	620 g	0.001 g	0.001 g	± 0.004 g	Piece	1	PNJ 600-3M	631.80 €






Pumps

Samplers

Labware

Bürkle – your partner for high-quality pumps, samplers and labware



www.buerkle.de



OTAL® hand pump PP Universal hand pump for flexible use

The OTAL® hand pump with PP delivery tubes is a reliable, flexible pump for filling liquids. The drum and container pumps operate on the air-over-pressure principle. This means that only the delivery tubes come into contact with the liquid, ensuring broad chemical resistance.

The telescopic immersion tube adapts itself to the container height on insertion. This ensures good removal of residual liquid and means that the hand-pump can be used with different containers.

- Particularly compact, space-saving hand pump
- Good pump capacity
- With universal bungs made of soft PVC, for container openings of 30 – 70 mm Ø

OTAL® hand pump PP	Qty	PU	Order No.	Special Price/PU	Special Price/PU from
Tube Ø 12 mm, pump cap.14 l/min	Piece	1	5005-1200	1 PU 68.97 €	10 PU 60.96 €
Tube Ø 15 mm, pump cap.20 l/min	Piece	1	5005-1500	1 PU 72.37 €	10 PU 66.71 €
Tube Ø 18 mm, pump cap.26 l/min	Piece	1	5005-1800	1 PU 73.55 €	10 PU 66.14 €



Memmert Vacuum Drying Oven VO Powerful. Gentle. Turbo fast.

memmert

Reliable, convenient and energy-efficient – that's how vacuum drying works today

Separately adjustable and directly heated thermo-shelves ensure precise temperature regulation and, thanks to the digital pressure control, the chamber load is not only dried at high speed but also extremely gently in our powerful and robust vacuum drying oven. Together with the speed-controlled vacuum pump, the vacuum oven VO forms an unbeatable energy-efficient duo. The pump is perfectly tidied away in the matching base cabinet.

Your advantages:

- Significantly reduced heating-up and processing times in the vacuum drying oven
- Climate-friendly accessories: Vacuum pump saves around 70 % energy
- Uniquely precise: The Memmert VO direct heating system
- User-friendly, intuitive operating concept
- Nearly exclusive use of high-quality, rust-resistant and easy to clean stainless steel for interior and exterior housing

	Qty	PU	Order No.	Price/PU
Vacuum Oven VO29	Piece	1	VO29	6,544.51 €
Vacuum Oven VO49	Piece	1	VO49	7,389.90 €
Vacuum Oven VO101	Piece	1	VO101	9,817.60 €

**TRUST
THE
BEST
AND RELAX!**



**BEST IN CLASS CLIMATE AND
TEMPERATURE CONTROL UNITS**

HPPeco

A new dimension of energy efficiency and precision

This powerful climate chamber with Advanced Peltier Technology works around 90% more energy efficiently than compressor-cooled devices, does not require any refrigerant and is therefore easy to maintain.

The temperature range from +0 °C to +70 °C as well as the active humidification and dehumidification from 10% to 90% rh offered by the HPPeco are optimally tailored to meet the requirements of stability tests in the pharmaceutical industry (Q1A). The device is also suitable for durability tests in the fields of pharmaceuticals, food and cosmetics as well as for quality tests and humidity-controlled storage.

Key advantages:

- Maximum energy efficiency compared to climate chambers with a compressor
- Absolutely homogeneous distribution of temperature and humidity
- Reliable and fail-safe, even after years of continuous operation



Transferpette® S

A perfect fit for every hand!

- + Efficient: one-hand operation
- + Flexible: ergonomic design for every hand
- + Reliable: volume-change protection prevents accidental adjustments

The Transferpette® S air displacement pipette allows you to work efficiently and ergonomically with both small and large volumes. Low operating forces and a short stroke ensure relaxed pipetting, even during long pipetting series. Due to its perfect ergonomics, the Transferpette® S provides a comfortable grip in any hand position, whether you are right- or left-handed, or have big or small hands. Changing your grip is not necessary, since the microliter pipette provides true one-hand operation: set the volume, pipette, eject the tip. The volume-change protection is also easy to operate with gloves on and protects your set volume against accidental adjustment. The Transferpette® S also features Easy Calibration technology, which makes calibration a breeze. Calibration can be carried out without tools.



Transferpette® S
Starter-kit Standard

Transferpette® S
Pipette package 2

Transferpette® S, Pipette sets

	Qy	PU	Order No.	Price/PU
Starter-kit Micro, 3 pipettes: D-2,5 (0,1-2,5µl), D-10 (0,5-10µl), D-100 (10-100µl), 3 x TipBox pipette tips, 3 x shelf/rack mount, DE-M	Set	1	705890	517.84 €
Starter-kit Midi, 3 pipettes: D-20 (2-20µl), D-200 (20-200µl), D-1000 (100-1000µl), 3 x TipBox pipette tips, 3 x shelf/rack mount, DE-M	Set	1	705891	517.84 €
Starter-kit Macro, 3 pipettes: D-1000 (100-1000µl), D-5000 (500-5000µl), D-10000 (1000-10000µl), 3 x TipBox pipette tips, 3 x shelf/rack mount, DE-M	Set	1	705892	517.84 €
Starter-kit Standard, 3 pipettes: D-10 (0,5-10µl), D-100 (10-100µl), D-1000 (100-1000µl), 3 x TipBox pipette tips, 3 x shelf/rack mount, DE-M	Set	1	705893	517.84 €
Pipette package 1: 5 pipettes: D-2,5 (0,1-2,5µl), D-10 (0,5-10µl), D-20 (2-20µl), D-200 (20-200µl), D-1000 (100-1000µl), 3 x TipBox pipette tips, Benchtop rack (carousel for 6 devices), DE-M	Set	1	705896	862.51 €
Pipette package 2: 5 pipettes: D-10 (0,5-10µl), D-100 (10-100µl), D-200 (20-200µl), D-1000 (100-1000µl), D-5000 (500-5000µl), 4 x TipBox pipette tips, Benchtop rack (carousel for 6 devices), DE-M	Set	1	705897	862.51 €

BRAND GMBH + CO KG | P.O. Box 1155 | 97877 Wertheim | Germany | www.brand.de


WHEATON® CELLine™ Bioreactors

Enable the storage of growing medium.

- **Media Compartment** – This reduces the media refreshing requirement significantly as the media compartment is fifty times the size of the cell compartment.
- **Metabolite Regulating Upper Membrane** – The upper dialysis membrane has a 10 kDa cut off limit.

- **Cell Compartment** – The cell compartment provides the ideal area to inoculate and achieve high density cultures.
- **Gas Permeable Lower Membrane** – The CELLine™ flask places the cells directly against the gas permeable membrane to achieve optimal levels of oxygen and carbon dioxide.

CELLine™	Culture Type	Media Compartment	Cell Compartment	Qy	PU	Order No.	Price/PU
1000	Suspension	1000 ml	15 ml	Piece	1	WCL1000-1	253.99 €
1000	Suspension	1000 ml	15 ml	Piece	3	WCL1000-3	790.54 €
1000-AD	Adhärent	1000 ml	15 ml	Piece	1	WCL1000AD-1	253.53 €
1000-AD	Adhärent	1000 ml	15 ml	Piece	3	WCL1000AD-3	760.60 €
350	Suspension	350 ml	5 ml	Piece	1	WCL0350-1	196.76 €
350	Suspension	350 ml	5 ml	Piece	5	WCL0350-5	993.20 €





**DURAN
WHEATON
KIMBLE**

Excellence in your hands

WHEATON® CELLine™ Bioreactors

Multiuse Membrane Culture Flasks
for Antibody and Protein Production

CELLine™ Bioreactor Flasks

Handling Requirements – CELLine™ flasks reduce the handling requirement by requiring less consumable items and allowing longer run times due to their unique metabolite regulating upper membrane. This membrane allows for bulk media storage during operation to ensure constant and regulated nutrient access for the cells.

Cell Densities – CELLine™ flasks ensure maximum gas exchange by placing the gas permeable lower membrane directly next to the cells. This allows for optimal oxygen and carbon dioxide transfer for metabolizing cells.

Purification – The upper and lower membranes form an optimized compartment for cell proliferation. This allows for the reduced use of growth factors and hormones and concentrates the antibody and proteins of interest.



BENEFITS

- Multi-harvest device
- Decreases use of consumables
- High cell density and high product concentration
- Cost-efficient, space saving, and stackable
- Reduces operation time
- No additional equipment required for operation



DWK Life Sciences GmbH
Hattenbergstrasse 10 • 55122 Mainz • Germany
sales@DWK-LifeSciences.com
www.DWK-LifeSciences.com



LAUDA

LAUDA Universa

THE ALL-NEW DIMENSION OF TEMPERATURE CONTROL

MODULAR, AI-READY, SUSTAINABLE, HIGH-PERFORMANCE

*FAHRENHEIT, *CELSIUS, *LAUDA.

LAUDA Universa – THE RIGHT SOLUTION FOR EVERY REQUIREMENT

LAUDA Universa stands for a new generation of bath thermostats – developed for the highest requirements in laboratories, research and industry. The performance classes offer maximum precision, high heating and cooling capacities as well as comprehensive connectivity that is future-proof. Modular configuration, intuitively controllable, energy-saving in operation – and ready for the AI-supported processes of tomorrow.

With our added 5-year Best Guarantee, you invest in proven quality and long-term reliability.

LAUDA Univers	Qty	PU	Order No.	Price/PU
Universa PRO Immersion thermostat	Piece	1	L003890	2,190.00 €
Universa PRO Heating thermostat U 4 P	Piece	1	L003891	2,540.40 €
Universa PRO Heating thermostat U 8 P	Piece	1	L003892	2,671.80 €
Universa PRO Heating thermostat U 16 P	Piece	1	L003893	2,847.00 €
Universa PRO Heating thermostat U 40 P	Piece	1	L003894	3,679.20 €
Universa PRO Cooling thermostat U 420 P	Piece	1	L003898	4,533.30 €
Universa PRO Cooling thermostat U 630 P	Piece	1	L003899	4,953.05 €
Universa PRO Cooling thermostat U 635 P	Piece	1	L003900	5,708.60 €
Universa PRO Cooling thermostat U 1245 P	Piece	1	L003901	7,219.70 €
Universa PRO Cooling thermostat U 1635 P	Piece	1	L003902	5,876.50 €



LabHEAT® standard heating mantles series KM-G

ISOHEAT®

In chemical and biotechnical laboratories these heating mantles belong for the standard equipment because many reactions in these areas are temperature dependent.

- high quality design for flasks, round bottom **made by hand work**
- flexible glass yarn heating element **an even heat transfer and a gentle treatment of the glass**
- operating temperatures up to 450°C
- sizes from 500 ml with \varnothing 60 mm bottom hole
- four standard mounting clips **with appropriate accessories a minimum of effort allows to ensure a tilt-proof set-up or to integrate within support wall**
- with heating zone switch and residual current detection (RCD)



Volume ml	Power W	Heating zones	Qy	PU	Order No.	Special Price/PU
25	65	1	Piece	1	95000025	218.40 €
50	75	1	Piece	1	95000050	222.60 €
100	120	1	Piece	1	95000100	222.60 €
250	180	2	Piece	1	95000250	226.80 €
500	250	2	Piece	1	95000500	231.00 €
1.000	450	2	Piece	1	95001000	260.40 €
2.000	600	2	Piece	1	95002000	306.60 €
3.000	800	2	Piece	1	95003000	352.80 €
4.000	900	2*	Piece	1	95004000	382.20 €
5.000	1200	2*	Piece	1	95005000	474.60 €
6.000	1400	2*	Piece	1	95006000	554.40 €
10.000	2000	2*	Piece	1	95010000	697.20 €
20.000	2200	2*	Piece	1	95020000	1,024.80 €

*also available with 4 heating zones

Measurement & documentation with ease



**SPECIAL PRICE
25 % DISCOUNT**

Enjoy the full flexibility of the handheld Liquline Mobile CML18 meter. Take it with you wherever you need to measure pH, ORP, conductivity or dissolved oxygen – in your laboratory or directly at any point in your process any point in your process.

Thanks to Hot Plug & Play with pre-calibrated Memosens sensors, you can quickly and easily switch between parameters. The integrated data logger stores over 10,000 measured values with timestamps.

Endress+Hauser

Synchronise and manage your data Easily synchronise and manage your data with the Memobase Pro app on your tablet or Your smartphone or tablet becomes an intelligent measurement and calibration system. Connect via Bluetooth for secure Bluetooth connection to complete your daily measurement tasks Quickly and easily.

Make your daily laboratory work easier – Guaranteed!

	Qy	PU	Order No.	Special Price/PU
Liquline Mobile CML18 SET pH basic	Piece	1	CML18-AAACA1PAPEPNPUPVSA	1,161.54 €
Liquline Mobile CML18 SET pH/Cond/DO	Piece	1	CML18-AAACA1PAPEPNPUPVSASOSR	2,503.36 €
Liquline Mobile CML18 SET pH/Cond	Piece	1	CML18-AAACA1PAPEPNPUPVSASR	1,787.45 €
Liquline Mobile CML18 SET pH rugged	Piece	1	CML18-AAACA1PAPEPNPUPVSK	1,224.30 €
Liquline Mobile CML18 SET pH Pro	Piece	1	CML18-AAACA1PAPKPNRPUPVSA	1,430.70 €
Liquline Mobile CML18 SET pH/DO Pro	Piece	1	CML18-AAACA1PAPKPNRPUPVSASO	2,088.62 €

Direct analysis:

Perfect for gravimetry and fast results on the filter material



Membrane filter: Accuracy for targeted particle separation



Hahnemühle
Life Science

Membrane filter	Qy	PU	Order No.	Special Price/PU
Mixed cellulose ester, 0.45 μ m, non-sterile, Discs 47 mm	Set	1	MCE04547BL	99.00 €
Mixed cellulose ester, 3 μ m, non-sterile, Discs 47 mm	Set	1	MCE30047BL	130.00 €
Mixed cellulose ester, 5 μ m, non-sterile, Discs 47 mm	Set	1	MCE50047BL	135.00 €
Mixed cellulose ester, 8 μ m, non-sterile, Discs 47 mm	Set	1	MCE80047BL	135.00 €
Cellulose nitrate, 0.45 μ m, non-sterile, Discs 47 mm	Set	1	NC04547BL	88.00 €
Cellulose nitrate, 0.45 μ m, non-sterile, Discs 50 mm	Set	1	NC04550BL	99.00 €
Cellulose nitrate, 0.8 μ m, non-sterile, Discs 47 mm	Set	1	NC08047BL	120.00 €
Cellulose nitrate, 0.8 μ m, non-sterile, Discs 50 mm	Set	1	NC08050BL	130.00 €
Polyethersulfone, 0,20 μ m, non-sterile, Discs 25 mm	Set	1	PES02025BL	80.00 €
Polyethersulfone, 0,20 μ m, non-sterile, Discs 47 mm	Set	1	PES02047BL	123.00 €
Polyethersulfone, 0,45 μ m, non-sterile, Discs 25 mm	Set	1	PES04525BL	80.00 €
Polyethersulfone, 0,45 μ m, non-sterile, Discs 47 mm	Set	1	PES04547BL	123.00 €
Polyethersulfone, 0,45 μ m, non-sterile, Discs 50 mm	Set	1	PES04550BL	130.00 €

++ Sale ++ ONLY WHILE STOCKS LAST ++

PH-METER LAB 845/SET BL 19PH incl. stand (xylem)



Thanks to its intuitive operation and robust aluminium housing, the device is optimised for pH, ORP and ISE measurements in training and routine applications.

- USB output
- Data logger (stores up to 4000 data records: Date, time, main measured value, secondary measured value, measured temperature) with adjustable interval Numerical password protection

- User language selectable (German, English, French and Spanish)
- Configurable switch-off time
- Robust aluminium housing
- Graphic LCD display, backlit



	Qy	PU	Order No.	Sale
PH-METER LAB 845/SET BL 19PH incl. stand (xylem)	Piece	1	1027068100	656.00€ 399.00 €

SevenCompact™ S230 Universal and reliable



The SevenCompact™ series combines precise electrochemical measurement techniques with flexibility, innovative design and user-friendliness. The universally applicable devices are fully in line with the tradition of the Seven product family from METTLER TOLEDO.

The SevenCompact™ conductivity meter S230 is ideal for a wide range of applications. In addition to conductivity, it measures several other parameters, including salinity, total dissolved solids (TDS), resistance and conductivity ash. Starting a measu-

rement or calibration is done at the touch of a button, making easier than ever.

Seven good reasons for SevenCompact™ S230

- Fast and accurate measurements
- User-friendly operation
- Menu navigation in 10 languages
- Clear, well-structured colour display
- Many options for peripheral devices
- GLP conformity
- Range of services, including IQ/OQ



	Qy	PU	Order No.	Sale
SevenCompact™ S230	Piece	1	30019034	1,800.00€ 999.00 €



Glasatelier Saillart BV

Bevrijdingslaan 200a, 2450 Meerhout
Phone +32 (0) 14560221, Fax +32 (0) 14591143
info@glasatelier-saillart.be, shop.glasatelier-saillart.be